

Establishment Name <b>NOVARE RES BIER CAFE</b>	As Authorized by 22 MRSA § 2496	No. of Risk Factor/Intervention Violations	1	Date	11/15/2013
		No. of Repeat Risk factor / Intervention Violations	0	Time In	2:30 PM
		Score (optional)		Time Out	4:30 PM

License Expiry Date/EST. ID#	Address	City	Zip Code	Telephone
6/17/2014 / 19919	4 CANAL PLAZA	PORTLAND	04101	800-7914530
License Type	Owner Name	Purpose of Inspection	License Posted	Risk Category
MUN - EATING PLACE - SEATING	NOVARE RES LLC	Regular	Yes	High

**FOODBORNE ILLNESS RISK FACTORS AND PUBLIC HEALTH INTERVENTIONS**

Circle designated compliance status (IN, OUT, N/O, N/A) for each numbered item Mark "X" in appropriate box for COS and/or R  
 IN=in compliance OUT=not in compliance N/O=not observed N/A=not applicable COS=corrected on-site during inspection R=repeat violation

Compliance Status			cos	R	Compliance Status		cos	R	
<b>Supervision</b>					<b>Potentially Hazardous Food Time/Temperature</b>				
1	IN	PIC present, demonstrates knowledge, and performs duties			16	IN	Proper cooking time & temperatures		
<b>Employee Health</b>					17	IN	Proper reheating procedures for hot holding		
2	IN	Management awareness; policy present			18	IN	Proper cooling time & temperatures		
3	IN	Proper use of reporting, restriction & exclusion			19	IN	Proper hot holding temperatures		
<b>Good Hygienic Practices</b>					20	OUT	Proper cold holding temperatures	X	
4	IN	Proper eating, tasting, drinking, or tobacco use			21	IN	Proper date marking & disposition		
5	IN	No discharge from eyes, nose, and mouth			22	IN	Time as a public health control: procedures & record		
<b>Preventing Contamination by Hands</b>					<b>Consumer Advisory</b>				
6	IN	Hands clean & properly washed			23	IN	Consumer advisory provided for raw or undercooked foods		
7	IN	No bare hand contact with RTE foods or approved alternate method properly followed			<b>Highly Susceptible Populations</b>				
8	IN	Adequate handwashing facilities supplied & accessible			24	IN	Pasteurized foods used; prohibited foods not offered		
<b>Approved Source</b>					<b>Chemical</b>				
9	IN	Food obtained from approved source			25	IN	Food additives: approved & properly used		
10	IN	Food received at proper temperature			26	IN	Toxic substances properly identified, stored & used		
11	IN	Food in good condition, safe, & unadulterated			<b>Conformance with Approved Procedures</b>				
12	IN	Required records available: shellstock tags parasite destruction			27	IN	Compliance with variance, specialized process, & HACCP plan		
<b>Protection from Contamination</b>					Risk Factors are improper practices or procedures identified as the most prevalent contributing factors of foodborne illness or injury. Public Health Interventions are control measures to prevent foodborne illness or injury.				
13	IN	Food separated & protected			<b>GOOD RETAIL PRACTICES</b>				
14	IN	Food-contact surfaces: cleaned and sanitized			Good Retail Practices are preventative measures to control the addition of pathogens, chemicals, and physical objects into foods.				
15	IN	Proper disposition of returned, previously served, reconditioned, & unsafe food			Mark "X" in box if numbered item is not in compliance Mark "X" in appropriate box for COS and/or R COS=corrected on-site during inspection R=repeat violation				

Safe Food and Water			cos	R	Proper Use of Utensils		cos	R	
28	IN	Pasteurized eggs used where required			41	IN	In-use utensils: properly stored		
29	IN	Water & ice from approved source			42	IN	Utensils, equipment, & linens: properly stored, dried, & handled		
30	IN	Variance obtained for specialized processing methods			43	IN	Single-use & single-service articles: properly stored & used		
<b>Food Temperature Control</b>					44	IN	Gloves used properly		
31	IN	Proper cooling methods used; adequate equipment for temperature control			<b>Utensils, Equipment and Vending</b>				
32	IN	Plant food properly cooked for hot holding			45	X	Food & non-food contact surfaces cleanable, properly designed, constructed, & used	X	
33	IN	Approved thawing methods used			46	IN	Warewashing facilities: installed, maintained, & used; test strips		
34	IN	Thermometers provided and accurate			47	X	Non-food contact surfaces clean		
<b>Food Identification</b>					<b>Physical Facilities</b>				
35	IN	Food properly labeled; original container			48	IN	Hot & cold water available; adequate pressure		
<b>Prevention of Food Contamination</b>					49	X	Plumbing installed; proper backflow devices		
36	IN	Insects, rodents, & animals not present			50	IN	Sewage & waste water properly disposed		
37	IN	Contamination prevented during food preparation, storage & display			51	IN	Toilet facilities: properly constructed, supplied, & cleaned		
38	IN	Personal cleanliness			52	IN	Garbage & refuse properly disposed; facilities maintained		
39	IN	Wiping cloths: properly used & stored			53	IN	Physical facilities installed, maintained, & clean		
40	IN	Washing fruits & vegetables			54	X	Adequate ventilation & lighting; designated areas used		

Person in Charge (Signature) *[Signature]* Date: 11/15/2013  
 Health Inspector (Signature) *[Signature]* Follow-up: YES  NO  Date of Follow-up:

# State of Maine Health Inspection Report

<b>Establishment Name</b> NOVARE RES BIER CAFE		<i>As Authorized by 22 MRSA § 2496</i>		<b>Date</b> 11/15/2013
<b>License Expiry Date/EST. ID#</b> 6/17/2014 / 19919	<b>Address</b> 4 CANAL PLAZA	<b>City / State</b> PORTLAND / ME	<b>Zip Code</b> 04101	<b>Telephone</b> 800-7914530

## Temperature Observations

Location	Temperature	Notes
DISHWASHER/ HIGH TEMP	180F	

CHEESE/ SM REFRIG.	50F	DISCARDED ( 10oz MOZZ, 1LB BLUE, 3LB CHED, 3LB OSSOU) PIC ADJUSTED TEMPERATURE OF UNIT AND PLACED THERMOMETER INSIDE. WILL MONITOR AND
CHEESE/ REACHIN	40F	
H.W.@HANDWASH	126F	

Person in Charge (Signature)



Date: 11/15/2013

Health Inspector (Signature)



# State of Maine Health Inspection Report

Page 3 of 4

**Establishment Name**

NOVARE RES BIER CAFE

Date 11/15/2013

License Expiry Date/EST. ID#  
6/17/2014 / 19919

Address  
4 CANAL PLAZA

City / State  
PORTLAND

ME

Zip Code  
04101

## Observations and Corrective Actions

Violations cited in this report must be corrected within the time frames below, or as stated in sections 8-405.11 and 8-406.11 of the Food Code

20: 3-501.16.(B): C: Cold Food not maintained at proper temperature.

INSPECTOR NOTES: \*\*COS\*\* SEE TEMP LOG

45: 4-501.12: N: Cutting surfaces not easily cleanable.

INSPECTOR NOTES: \*\*COS\*\* DISCARDED TWO WOOD CUTTING BOARDS WITH DEEP GROOVES AND CRACKS.

47: 4-601.11.(B): N: Food contact surfaces of cooking equipment not clean.

INSPECTOR NOTES: SLICER GAURD, PANINI PRESS, WAFFLE IRON NOT STORED CLEAN. SMALL REFRIGERATOR IN NEED OF CLEANING.


49: 5-202.12: C: Handwashing facility not properly equipped/installed/with hot water.

INSPECTOR NOTES: HOT WATER SHUT OFF AT HANDWASH SINK DUE TO DRIP/ TURNED ON DURING OPERATING HOURS. NEEDS REPAIR.

54: 6-202.11: N: Lights not shielded.

INSPECTOR NOTES: NEED SHEILDS IN PREP AREA.

Person in Charge (Signature)



Date: 11/15/2013

Health Inspector (Signature)

# State of Maine Health Inspection Report

Page 4 of 4

**Establishment Name**

NOVARE RES BIER CAFE

Date 11/15/2013

License Expiry Date/EST. ID#  
6/17/2014 / 19919

Address  
4 CANAL PLAZA

City / State  
PORTLAND

ME

Zip Code  
04101

## Inspection Notes

Certified Food Protection Manager: Noly Lopez 10/15/12

- Unless directed otherwise, effective January 18, 2012 establishments have to have a Certified Food Protection Manager (CFPM) at each establishment as required by 10-144 CMR, Chapter 201, Section 2.

- A CFPM must be hired within 90 days of a new establishment opening or when the only CFPM leaves the employment of the establishment.

-For a list of CFPM classes in Portland and signup sheet email: [tw@portlandmaine.gov](mailto:tw@portlandmaine.gov).

- For a list of CFPM courses and trainers got to: [www.maine.gov/healthinspection/training.htm](http://www.maine.gov/healthinspection/training.htm)

- Upon completion of the CFPM course, please fax cover sheet and course certificate to (207) 287-3165. On the cover letter please send to the attention of Carol Gott and include your establishment name and establishment license number. Her Phone number is 287-5675. You can also mail a copy, with establishment ID number, to her at 286 Water St, 3rd Floor, 11 State House Station, Augusta, ME 04333-0011.

### Violation Correction Time Frame

- Critical Violations should be corrected on site, but, in any event, within 10 days. The licensee must contact the inspector when the critical violation has been addressed. Please send an e-mail to [tw@portlandmaine.gov](mailto:tw@portlandmaine.gov) or call Tom Williams at 874-8772.

- Non-critical violations must be corrected no later than 90 calendar days after the inspection. The Department may approve a compliance schedule that extends beyond the time limits if a written schedule of compliance is submitted by the Permit Holder and no health hazard exists or will result from allowing an extended schedule for compliance.

- Failure to satisfactorily correct these violations before the follow-up inspection may result in enforcement proceedings by the Department, which are outlined in Sections 6, 7, 8 and 9 of 10-144 CMR Chapter 201 available at: [www.maine.gov/dhhs/mecdc/environmental-health/el/index.htm](http://www.maine.gov/dhhs/mecdc/environmental-health/el/index.htm)

C=Critical violation and NC=Noncritical violation

"Critical item" means a provision of the Food Code that, if in noncompliance, is more likely than other violations to contribute to food contamination, illness, or environmental health hazard.

### Sec. 11-40. Penalties.

Following the issuance of a failed inspection notice and an order to correct violations, the health inspector will re-inspect the premises at a fee of seventy five dollars (\$75.00); if the follow up inspection results in another failed inspection, the violator will be charged a second re-inspection fee of one hundred fifty dollars (\$150.00). If the third re-inspection results in a failed inspection, the third and each subsequent follow-up re-inspection will result in a three hundred dollar (\$300.00) per re-inspection charge. In addition, upon the third failed re-inspection, the health inspector may order the establishment closed until the establishment yields a passing inspection.

### Documentation Retention

- A copy of the most recent inspection report must be maintained at the establishment and be made available to the public upon request.

- A copy of all CFPM certificates must be maintained at the establishment.

- The establishment's current license must be displayed.

### Tips & Reminders

[www.portlandmaine.gov/hhs/foodserviceinspections.asp](http://www.portlandmaine.gov/hhs/foodserviceinspections.asp)

Person in Charge (Signature)

  
TW

Date: 11/15/2013

Health Inspector (Signature)