

Order 37 – 09/10

Given first reading on 8/3/09. Passage 8/17/09 7-0

(Waxman, Skolnik absent)

JILL C. DUSON (MAYOR)
KEVIN J. DONOGHUE (1)
DAVID A. MARSHALL (2)
DANIEL S. SKOLNIK (3)
CHERYL A. LEEMAN (4)

CITY OF PORTLAND
IN THE CITY COUNCIL

JOHN R. COYNE (5)
JOHN M. ANTON (A/L)
DORY RICHARDS WAXMAN (A/L)
NICHOLAS M. MAVODONES (A/L)

AMENDMENT TO PORTLAND CITY CODE
CHAPTER 24 SEWERS
ARTICLE IV. SEWER USE CHARGES
SECTION 24-75

**BE IT ORDAINED BY THE CITY COUNCIL OF THE CITY OF PORTLAND,
MAINE IN CITY COUNCIL ASSEMBLED AS FOLLOWS:**

1. *That Chapter 24, Section 24-75(c) of the Portland City Code is hereby amended to read as follows:*

Sec. 24-75. Volume measurements.

...

(c) *Submetering of water volume.* Any person who feels that recorded water records are not a reliable index of his discharge volume may install an additional water meter of a type approved by the public works authority to measure the volume of water which can be shown not to enter the sewerage system. The person installing such a meter shall immediately notify the public works authority of such installation and shall be responsible to the public works authority for reporting meter readings ~~not less often than~~ once every ~~three~~ ~~(3)~~ months. Such person shall be credited with the volume charges for the volume shown by such meter, which meter shall be accessible for reading by the city or its agents at all reasonable times.