

# State of Maine Health Inspection Record of Complaint

## INTAKE

Complaint #	Date of Intake	Time of Intake	Intake Person	Paper Form
2010	10/22/2015	12:37 PM	REBECCA WALSH	<input type="checkbox"/>

## ESTABLISHMENT/BODY ARTIST CITED

Establishment/Body Artist Name	Est. ID#	Lic. Exp. Date	Telephone	Lic. Type
TACO ESCOBARR	22682	1/30/2016	207-541-9097	MUN - EATING PLACE
Street Address	City	ZipCode	Owner Name	
548 CONGRESS ST	PORTLAND	04101	TACO BARR LLC	

## COMPLAINT DESCRIPTION

Complaint types:		Date of occurrence: on-going		Time of occurrence: NA	
Foodborne Illness	<input type="checkbox"/>	Smoking	<input type="checkbox"/>	Ants	<input type="checkbox"/>
Hygienic Practices	<input type="checkbox"/>	Septic	<input type="checkbox"/>	Bats	<input type="checkbox"/>
Sanitation Practices	<input checked="" type="checkbox"/>	Tattoo	<input type="checkbox"/>	Bedbugs	<input type="checkbox"/>
Physical Facilities	<input type="checkbox"/>	Body Piercing	<input type="checkbox"/>	Cockroaches	<input type="checkbox"/>
Food injury/safety	<input type="checkbox"/>	Electrology	<input type="checkbox"/>	Mice	<input type="checkbox"/>
Waterborne illness	<input type="checkbox"/>	Micropigmentation	<input type="checkbox"/>	Rats	<input type="checkbox"/>
Unlicensed	<input type="checkbox"/>	Other	<input type="checkbox"/>	<i>If Other checked, see notes under Description below:</i>	

**Description:** Complainant stated that dish washing machine water temp only goes up to 95-100°F.

## COMPLAINT INVESTIGATION

Investigated	Investigated by	Inspection Done	Date of Last Inspection
<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	TOM WILLIAMS	<input type="checkbox"/> Yes <input type="checkbox"/> No	07/14/2015

## COMPLAINT FINDINGS

Foodborne Illness	<input type="checkbox"/> O <input type="checkbox"/> N	Smoking	<input type="checkbox"/> O <input type="checkbox"/> N	Ants	<input type="checkbox"/> O <input type="checkbox"/> N	Dogs	<input type="checkbox"/> O <input type="checkbox"/> N
Hygienic Practices	<input type="checkbox"/> O <input type="checkbox"/> N	Septic	<input type="checkbox"/> O <input type="checkbox"/> N	Bats	<input type="checkbox"/> O <input type="checkbox"/> N	Cats	<input type="checkbox"/> O <input type="checkbox"/> N
Sanitation Practices	<input checked="" type="checkbox"/> O <input type="checkbox"/> N	Tattoo	<input type="checkbox"/> O <input type="checkbox"/> N	Bedbugs	<input type="checkbox"/> O <input type="checkbox"/> N	Flies	<input type="checkbox"/> O <input type="checkbox"/> N
Physical Facilities	<input type="checkbox"/> O <input type="checkbox"/> N	Body Piercing	<input type="checkbox"/> O <input type="checkbox"/> N	Cockroaches	<input type="checkbox"/> O <input type="checkbox"/> N		
Food injury/safety	<input type="checkbox"/> O <input type="checkbox"/> N	Electrology	<input type="checkbox"/> O <input type="checkbox"/> N	Mice	<input type="checkbox"/> O <input type="checkbox"/> N	O=Observed	
Waterborne illness	<input type="checkbox"/> O <input type="checkbox"/> N	Micropigmentation	<input type="checkbox"/> O <input type="checkbox"/> N	Rats	<input type="checkbox"/> O <input type="checkbox"/> N	N=Not Observed	
Unlicensed	<input type="checkbox"/> O <input type="checkbox"/> N	Other	<input type="checkbox"/> O <input type="checkbox"/> N	<i>If Other checked, see Comments below:</i>			

## INSPECTOR COMMENTS

DISH MACHINE IS A LOW TEMP CHEMICAL SANITIZER. CHLORINE BOTTLE NEEDED TO BE PRIMED. MANAGER CALLED ECOLAB FOR SERVICE. WATER TEMP INDICATOR ON MACHINE WAS 100F.

**Corrective Actions**

CHEMICAL SANITIZER CONCENTRATION WAS TOO LOW. CANNOT DETERMINE CONCENTRATION.

## REFERRALS

Referred to:	Date	Referred to:	Date	Referred to:	Date
<input type="checkbox"/> Attorney General's Office		<input type="checkbox"/> Fire Marshal		<input type="checkbox"/> Department of Education	
<input type="checkbox"/> Department of Agriculture		<input type="checkbox"/> Liquor Licensing		<input type="checkbox"/> Inland Fisheries & Wildlife	
<input type="checkbox"/> Subsurface Wastewater Program		<input type="checkbox"/> State Police		<input type="checkbox"/> Tobacco Enforcement	
<input type="checkbox"/> Drinking Water Program		<input type="checkbox"/> Disease Control		<input type="checkbox"/> Board of Pesticide Control	
<input type="checkbox"/> Marine Resources		<input type="checkbox"/> Municipality CEO/LPI		<input type="checkbox"/> Other	

Person in Charge (Signature)

Date: 10/23/2015

Health Inspector (Signature)

Follow-up:  Yes  No  
Follow-up Date: